


PPC GILMORE 1

Borehole ID: bh000641
Total Depth (m): 4346.50
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1964-06-07 00:00:00

Longitude: 144.81
Latitude: -25.36


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|----------|-------------|------------|
| WHITE-MICA | SULPHATE | NOTAROK | K-FELDSPAR |
| INVALID | CHLORITE | SILICA | OXIDE |
| CARBONATE | SMECTITE | PLAGIOCLASE | GARNET |
| KAOLIN | | | |

PPC GILMORE 1

Borehole ID: bh000641

Year Drilled: 1964-06-07 00:00:00


Longitude: 144.81

Total Depth (m): 4346.50

Latitude: -25.36

Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|----------|-------------|------------|
| WHITE-MICA | SMECTITE | NOTAROK | K-FELDSPAR |
| KAOLIN | SULPHATE | SILICA | OXIDE |
| INVALID | CHLORITE | PLAGIOCLASE | GARNET |
| CARBONATE | | | |

PPC GILMORE 1

Borehole ID: bh000641

Year Drilled: 1964-06-07 00:00:00


Longitude: 144.81

Total Depth (m): 4346.50

Latitude: -25.36

Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|----------|-------------|------------|
| WHITE-MICA | CHLORITE | NOTAROK | K-FELDSPAR |
| CARBONATE | SULPHATE | SILICA | GARNET |
| INVALID | KAOLIN | PLAGIOCLASE | OXIDE |
| SMECTITE | | | |

PPC GILMORE 1

Borehole ID: bh000641

Year Drilled: 1964-06-07 00:00:00


Longitude: 144.81

Total Depth (m): 4346.50

Latitude: -25.36

Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups


- | | | | |
|------------|----------|-------------|------------|
| WHITE-MICA | CHLORITE | NOTAROK | GARNET |
| INVALID | KAOLIN | SILICA | K-FELDSPAR |
| CARBONATE | SMECTITE | PLAGIOCLASE | OXIDE |
| SULPHATE | | | |

PPC GILMORE 1

Borehole ID: bh000641
Total Depth (m): 4346.50
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1964-06-07 00:00:00
Longitude: 144.81
Latitude: -25.36

HyLogger™ Hyperspectral Data



PPC GILMORE 1

Borehole ID: bh000641

Year Drilled: 1964-06-07 00:00:00


Longitude: 144.81

Total Depth (m): 4346.50

Latitude: -25.36

Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|----------|------------|-------------|
| WHITE-MICA | NOTAROK | KAOLIN | PLAGIOCLASE |
| INVALID | SULPHATE | SILICA | OXIDE |
| CARBONATE | CHLORITE | K-FELDSPAR | GARNET |
| SMECTITE | | | |

PPC GILMORE 1

Borehole ID: bh000641

Total Depth (m): 4346.50

Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1964-06-07 00:00:00

Longitude: 144.81

Latitude: -25.36

HyLogger™ Hyperspectral Data

