


GSQ KUILPIE 1

Borehole ID: bh001139
Total Depth (m): 1214.20
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1982-10-27 00:00:00
Longitude: 145.04
Latitude: -26.63


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm:

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|-------------|-----------|------------|------------|
| Smectites | Sulphates | Carbonates | Artefacts |
| Kaolins | Chlorites | Epidotes | Amphiboles |
| White Micas | Invalid | Other AlOH | |

GSQ KILPIE 1

Borehole ID: bh001139

Total Depth (m): 1214.20


Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1982-10-27 00:00:00

Longitude: 145.04

Latitude: -26.63


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm:

Signal to Noise Ratio (SNR): —



Error

HyLogger™ Spectral Groups

- | | | | |
|-------------|------------|------------|------------|
| Smectites | Sulphates | Chlorites | Amphiboles |
| Kaolins | Invalid | Epidotes | Artefacts |
| White Micas | Carbonates | Other AlOH | |

GSQ KUILPIE 1

Borehole ID: bh001139

Total Depth (m): 1214.20


Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1982-10-27 00:00:00

Longitude: 145.04

Latitude: -26.63


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm:

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|-----------|-------------|------------|------------|
| Kaolins | White Micas | Carbonates | Amphiboles |
| Smectites | Invalid | Epidotes | Artefacts |
| Sulphates | Chlorites | Other AlOH | |

GSQ KUILPIE 1

Borehole ID: bh001139

Total Depth (m): 1214.20


Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1982-10-27 00:00:00

Longitude: 145.04

Latitude: -26.63


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm:

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|-------------|------------|-----------|------------|
| Kaolins | Invalid | Sulphates | Other AlOH |
| White Micas | Smectites | Epidotes | Amphiboles |
| Chlorites | Carbonates | Artefacts | |