

GSQ MITCHELL 2

Borehole ID: bh001237


Total Depth (m): 1003.80

Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1983-10-05 00:00:00

Longitude: 148.13


Latitude: -26.34



GSQ MITCHELL 2

Borehole ID: bh001237 Year Drilled: 1983-10-05 00:00:00 Longitude: 148.13
Total Depth (m): 1003.80 Latitude: -26.34
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



Error

HyLogger™ Spectral Groups

- | | | | |
|------------|-----------|-------------|---------|
| KAOLIN | INVALID | SERPENTINE | OXIDE |
| SMECTITE | DARK-MICA | SILICA | OLIVINE |
| WHITE-MICA | SULPHATE | K-FELDSPAR | EPIDOTE |
| CHLORITE | CARBONATE | PLAGIOCLASE | |

GSQ MITCHELL 2

Borehole ID: bh001237

Total Depth (m): 1003.80


Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 1983-10-05 00:00:00

Longitude: 148.13

Latitude: -26.34


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|-----------|-------------|---------|
| KAOLIN | DARK-MICA | SERPENTINE | OLIVINE |
| SMECTITE | INVALID | SILICA | OXIDE |
| WHITE-MICA | CARBONATE | K-FELDSPAR | EPIDOTE |
| CHLORITE | SULPHATE | PLAGIOCLASE | |