


QGC DUCKWORTH 4

Borehole ID: bh064172
Total Depth (m): 1170.70
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 2010-12-18 00:00:00

Longitude: 149.11
Latitude: -23.58


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups




QGC DUCKWORTH 4

Borehole ID: bh064172
Total Depth (m): 1170.70
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 2010-12-18 00:00:00

Longitude: 149.11
Latitude: -23.58


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups



QGC DUCKWORTH 4

Borehole ID: bh064172

Year Drilled: 2010-12-18 00:00:00


Longitude: 149.11

Total Depth (m): 1170.70

Latitude: -23.58

Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|-------------|-------------|-------------|-------------|
| White Micas | Smectites | Silica | Pyroxenes |
| Invalid | Tourmalines | Other MgOH | Iron Oxides |
| Chlorites | Kaolins | Serpentines | Other AlOH |
| Carbonates | Amphiboles | Dark Micas | Sulphates |
| Epidotes | Feldspars | | |