

QGC FOXLEIGH 4

Borehole ID: bh064468

Total Depth (m): 1201.60


Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 2011-09-06 00:00:00

Longitude: 148.73

Latitude: -22.81


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|-----------|-------------|------------|
| WHITE-MICA | KAOLIN | AMPHIBOLE | TOURMALINE |
| INVALID | PAL-SEP | SILICA | OXIDE |
| SMECTITE | DARK-MICA | PLAGIOCLASE | OTHER-ALOH |
| CHLORITE | SULPHATE | K-FELDSPAR | OLIVINE |
| CARBONATE | NOTAROK | OTHER-MGOH | PYROXENE |

QGC FOXLEIGH 4

Borehole ID: bh064468

Total Depth (m): 1201.60


Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 2011-09-06 00:00:00

Longitude: 148.73

Latitude: -22.81


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



WHITE-MICA
INVALID
SMECTITE
CHLORITE
KAOLIN

HyLogger™ Spectral Groups

CARBONATE
DARK-MICA
PAL-SEP
SULPHATE
NOTAROK

AMPHIBOLE
SILICA
PLAGIOCLASE
K-FELDSPAR
OTHER-MGOH

TOURMALINE
OXIDE
OTHER-ALOH
OLIVINE
PYROXENE

QGC FOXLEIGH 4

Borehole ID: bh064468

Total Depth (m): 1201.60


Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Year Drilled: 2011-09-06 00:00:00

Longitude: 148.73

Latitude: -22.81


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

WHITE-MICA	PAL-SEP	AMPHIBOLE	TOURMALINE
INVALID	DARK-MICA	SILICA	OXIDE
CHLORITE	NOTAROK	PLAGIOCLASE	OTHER-ALOH
CARBONATE	SULPHATE	K-FELDSPAR	PYROXENE
SMECTITE	KAOLIN	OTHER-MGOH	OLIVINE