


KGM KIDSTON KM173

Borehole ID: bh075867
Total Depth (m): 1021.50
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Longitude: 144.16
Latitude: -18.87


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups


- | | | | |
|------------|------------|------------|-------------|
| WHITE-MICA | OTHER-ALOH | SULPHATE | SILICA |
| CHLORITE | EPIDOTE | KAOLIN | PLAGIOCLASE |
| CARBONATE | AMPHIBOLE | NOTAROK | K-FELDSPAR |
| INVALID | SMECTITE | TOURMALINE | GARNET |
| DARK-MICA | | | |

KGM KIDSTON KM173

Borehole ID: bh075867
Total Depth (m): 1021.50
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Longitude: 144.16
Latitude: -18.87

HyLogger™ Hyperspectral Data




KGM KIDSTON KM173

Borehole ID: bh075867
Total Depth (m): 1021.50
Drill type: <http://linked.data.gov.au/def/borehole-drilling-method/diamond-core>

Longitude: 144.16
Latitude: -18.87


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|------------|------------|-------------|
| WHITE-MICA | OTHER-ALOH | NOTAROK | SILICA |
| CHLORITE | EPIDOTE | SMECTITE | PLAGIOCLASE |
| INVALID | AMPHIBOLE | KAOLIN | K-FELDSPAR |
| CARBONATE | SULPHATE | TOURMALINE | GARNET |
| DARK-MICA | | | |