


RD162A

Borehole ID: 348602
Total Depth (m): 1007.50
Drill type: diamond core

Longitude: 136.85
Latitude: -30.43


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups


WHITE-MICA	NOTAROK	OXIDE	PYROXENE
CHLORITE	TOURMALINE	PLAGIOCLASE	OTHER-ALOH
CARBONATE	KAOLIN	DARK-MICA	OLIVINE
INVALID	SILICA	AMPHIBOLE	MISC-SILICATE
SULPHATE	K-FELDSPAR	PHOSPHATE	

RD162A

Borehole ID: 348602
Total Depth (m): 1007.50
Drill type: diamond core

Longitude: 136.85
Latitude: -30.43


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups


- | | | | |
|------------|------------|-------------|---------------|
| WHITE-MICA | NOTAROK | OXIDE | PHOSPHATE |
| CHLORITE | TOURMALINE | PLAGIOCLASE | OTHER-ALOH |
| CARBONATE | KAOLIN | DARK-MICA | OLIVINE |
| INVALID | SILICA | AMPHIBOLE | MISC-SILICATE |
| SULPHATE | K-FELDSPAR | PYROXENE | |

RD162A

Borehole ID: 348602
Total Depth (m): 1007.50
Drill type: diamond core

Longitude: 136.85
Latitude: -30.43


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: uTSAT

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|------------|-------------|---------------|
| WHITE-MICA | TOURMALINE | OXIDE | PYROXENE |
| CHLORITE | KAOLIN | PLAGIOCLASE | OLIVINE |
| CARBONATE | NOTAROK | AMPHIBOLE | OTHER-ALOH |
| SULPHATE | SILICA | DARK-MICA | MISC-SILICATE |
| INVALID | K-FELDSPAR | PHOSPHATE | |