


Barbwire 1

Borehole ID: Barbwire 1
Total Depth (m): 589.30
Drill type: Diamond Core

Year Drilled: 1972-06-18

Longitude: 125.02
Latitude: -19.18


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|----------|--------|-------------|
| CARBONATE | SMECTITE | KAOLIN | K-FELDSPAR |
| WHITE-MICA | SULPHATE | SILICA | PLAGIOCLASE |
| INVALID | | | |


Barbwire 1

Borehole ID: Barbwire 1
Total Depth (m): 589.30
Drill type: Diamond Core

Year Drilled: 1972-06-18

Longitude: 125.02
Latitude: -19.18


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



Error

HyLogger™ Spectral Groups




Barbwire 1

Borehole ID: Barbwire 1
Total Depth (m): 589.30
Drill type: Diamond Core

Year Drilled: 1972-06-18

Longitude: 125.02
Latitude: -19.18


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

