


Cockburn 1

Borehole ID: Cockburn 1
Total Depth (m): 2964.50
Drill type: Diamond Core

Year Drilled: 1967-05-17

Longitude: 115.74
Latitude: -32.13


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|----------|------------|-------------|------------|
| KAOLIN | SMECTITE | SILICA | K-FELDSPAR |
| SULPHATE | WHITE-MICA | PLAGIOCLASE | CARBONATE |
| CHLORITE | INVALID | | |


Cockburn 1

Borehole ID: Cockburn 1
Total Depth (m): 2964.50
Drill type: Diamond Core

Year Drilled: 1967-05-17

Longitude: 115.74
Latitude: -32.13


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|----------|------------|-------------|------------|
| KAOLIN | CHLORITE | SILICA | K-FELDSPAR |
| SULPHATE | WHITE-MICA | PLAGIOCLASE | CARBONATE |
| INVALID | SMECTITE | | |


Cockburn 1

Borehole ID: Cockburn 1
Total Depth (m): 2964.50
Drill type: Diamond Core

Year Drilled: 1967-05-17

Longitude: 115.74
Latitude: -32.13


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|----------|------------|-------------|------------|
| KAOLIN | SULPHATE | SILICA | K-FELDSPAR |
| CHLORITE | WHITE-MICA | PLAGIOCLASE | CARBONATE |
| INVALID | SMECTITE | | |


Cockburn 1

Borehole ID: Cockburn 1
Total Depth (m): 2964.50
Drill type: Diamond Core

Year Drilled: 1967-05-17

Longitude: 115.74
Latitude: -32.13


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|----------|------------|------------|-------------|
| KAOLIN | INVALID | SILICA | PLAGIOCLASE |
| SULPHATE | WHITE-MICA | K-FELDSPAR | CARBONATE |
| CHLORITE | SMECTITE | | |


Cockburn 1

Borehole ID: Cockburn 1
Total Depth (m): 2964.50
Drill type: Diamond Core

Year Drilled: 1967-05-17

Longitude: 115.74
Latitude: -32.13


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|----------|------------|-------------|------------|
| KAOLIN | WHITE-MICA | SILICA | K-FELDSPAR |
| CHLORITE | SMECTITE | PLAGIOCLASE | CARBONATE |
| SULPHATE | INVALID | | |


Cockburn 1

Borehole ID: Cockburn 1
Total Depth (m): 2964.50
Drill type: Diamond Core

Year Drilled: 1967-05-17

Longitude: 115.74
Latitude: -32.13


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|----------|------------|------------|-------------|
| KAOLIN | CHLORITE | SILICA | PLAGIOCLASE |
| SULPHATE | SMECTITE | K-FELDSPAR | CARBONATE |
| INVALID | WHITE-MICA | | |


Cockburn 1

Borehole ID: Cockburn 1
Total Depth (m): 2964.50
Drill type: Diamond Core

Year Drilled: 1967-05-17

Longitude: 115.74
Latitude: -32.13


HyLogger™ Hyperspectral Data



SWIR Algorithm: uTSAS

TIR Algorithm: ujCLST

Signal to Noise Ratio (SNR): —



HyLogger™ Spectral Groups

- | | | | |
|------------|----------|-------------|------------|
| KAOLIN | CHLORITE | SILICA | K-FELDSPAR |
| SMECTITE | SULPHATE | PLAGIOCLASE | CARBONATE |
| WHITE-MICA | INVALID | | |